


Examples of complementary medicines invoking 'traditional' indications currently marketed in Australia

| | |
|--|---|
|  |  |
| <p>Relieve the physical and emotional symptoms of menopause. Contains a carefully formulated blend of Chinese herbs traditionally used to balance Yin and Yang during menopause. .</p> | <p>Promotes sexual vitality in men and women. Rejuvenating aphrodisiac formula containing herbs traditionally used in Chinese medicine to enhance sexual vitality, libido (sex drive and desire), sexual potency, sensitivity and physical performance.</p> |

Examples of complementary medicines invoking 'traditional' indications currently marketed in Australia



A unique combination of Ayurvedic herbs which are known for their protective action on the liver. This preparation helps expel the build-up of toxins from the liver which accumulate from a diet that includes fried & highly processed foods. Useful in the treatment of: Acne, Gastritis, Gout, Liver disorders, Psoriasis. Also protects liver from the impact of overindulgence.



Ashwagandha is an adaptogen herb that has traditionally been used in Ayurveda as Rasayana (a rejuvenative tonic) to help: Relieve stress and mild anxiety, Relieve mild nervous tensions, As a sleep aid, Support memory enhancement, Support rejuvenation.

Examples of complementary medicines invoking ‘traditional’ indications currently marketed in Australia

| | |
|--|---|
|  |  |
| <p>This \$25 homeopathic melatonin product claims to have the same therapeutic effect as the \$99 prescription product (Circadin). A 6X dilution of 400 mg of melatonin is a dilution of 10⁶ or 1 in 1,000,000. Thus, each tablet only contains 0.0004 mg of melatonin. As a result, consumers are being deluded into purchasing a product that contains no therapeutically active ingredient. See also the products on the next page which also contain prescription drugs (highlighted) albeit at ineffective concentrations.</p> | <p>This \$17 homeopathic product claims to reduce jet lag. Each packet contains 32 tablets, said to be enough for 50 hours flying - equivalent to a round-the-world trip for one person. The ingredients are: Arnica Montana (Leopard’s Bane) 30C; Bellis Perennis (Daisy) 30C; Chamomilla (Wild Chamomile) 30C; Ipecacuanha (Ipecac) 30C and Lycopodium (Clubmoss) 30C. At these dilutions the product will contain no molecules of the named ingredients.</p> |

Anxiostat

May be supportive during anxiety



Anxiostat contains:

- Aconite 200x
- Borax 200x
- Kali phos 200x
- Ergotine 200x
- Alprazolam 12x
- Diazepam 12x
- Chlorpromazine 4c

Suggested dose:

4-5 sprays directly under tongue
2-3 times a day or as directed by a healthcare practitioner.
Frequency of dose can be increased during acute conditions.

Examples of complementary medicines invoking 'traditional' indications currently marketed in Australia

Bactrol

May be supportive for bacterial infections



Bactrol contains:

- Hepar sulph 30x
- Myristica 30x
- Anthraxinum 30x
- Pyrogenium 30x
- Silicea 30x
- Streptococcin 30x
- Pneumococcin 30x
- Staphylococcin 30x
- Penicillinum LM9
- Streptomycin LM9
- Ciprofloxacinum LM9

Suggested dose:

4-5 sprays directly under tongue
2-3 times a day or as directed by a healthcare practitioner.
Frequency of dose can be increased during acute conditions.

Deprel

May be supportive for depression



Deprel contains:

- Ignatia LM3, 6c, 30c
- Natrum mur LM3, 6c, 30c
- Aurum met LM3, 6c, 30c
- Kali phos LM3, 6c, 30c
- Hyoscyamus LM3, 6c, 30c
- Haloperidol LM3, 7c
- Chlorpromazine LM3, 7c

Suggested dose:

4-5 sprays directly under tongue
initially once a day, then gradually
2-3 times a day or as directed by a
healthcare practitioner.
Frequency of dose can be increased
during acute conditions.

Parastat

May be supportive for parasitic infections



Parastat contains:

- Kurchi 6c
- Ipecacuanha 6c
- Chaparo am 6c
- Candida alb 12x
- Emetine 12x
- Natrum phos 12c
- Entamoeba histolitica nosode 30c
- Norfloxacin 12x
- Metronidazole 12x
- Tinidazole 12x

Suggested dose:

4-5 sprays directly under tongue
2-3 times a day or as directed by a
healthcare practitioner.
Frequency of dose can be increased
during acute conditions.