

Complaint to TGA: Bioglan CoQ10

Acknowledgement:

This complaint was worked up by the Monash University BMS3052 WAM Wednesday 11am student group 7 and WAM Thurs 6pm student group 12; then edited and submitted by Assoc Prof Ken Harvey.

Summary:

Coenzyme Q10 plays a central role in mitochondrial oxidative phosphorylation and the production of adenosine triphosphate (ATP). It also functions as an antioxidant in cell membranes and lipoproteins.

Except for rare genetic disorders, CoQ10 deficiency has not been described in the general population. It is assumed that normal biosynthesis, with or without a varied diet, provides enough CoQ10 to sustain energy production in healthy individuals.

The fundamental problem with the promotion of CoQ10 products is that advertisers extrapolate from CoQ10's important role in the body, and possible role as adjunctive therapy in heart failure and myocardial reperfusion injury, to making implied claims that taking this product as a supplement will benefit normal healthy people.

This is a common logical fallacy employed by the complementary medicine industry to mislead the public and arouse unwarranted expectations of product effectiveness.

The Therapeutic Goods Advertising Complaint Resolution Panel (CRP) determination 2012/06/006 (Pharmalife CoQ10 Capsules) has addressed this issue and is appended.

Accordingly, we allege that advertisements for Bioglan's CoQ10 products breach the Therapeutic Goods Advertising Code 2015, s.4(1)(b), 4(2)(a), 4(2)(c) for claims 1-9 (below) because good evidence to support these claims is lacking. We also allege a breach of s.7(2) of the Code because CoQ10 is a vitamin-like co-enzyme; s.7(2) applies, but the required caveat is lacking.

Consolidated claims:

1. **Heart Health and Cardiovascular Health**- CoQ10 is found in muscular tissue, including in the heart muscle supports heart health, maintains healthy heart tissue and assists in the maintenance of a healthy cardiovascular system.
2. **Energy Production**- CoQ10 helps support energy production in the body through the cell's mitochondria. Who is Bioglan CoQ10 for: People experiencing low energy, those who want an energy boost, those experiencing low energy levels. If you are feeling tired, then CoQ10 could be beneficial for you.
3. **Levels of CoQ10 may decline with exercise and age and may be reduced with some cholesterol lowering medications.** The elderly may require a CoQ10 supplement due to the natural decline of CoQ10 associated with the ageing process.
4. **Migraine Support**- CoQ10 may help reduce duration of mild migraine.
5. **Antioxidant Support**- Powerful antioxidant that occurs naturally in all cells of the body.
6. Helps to maintain the **health of the arteries in healthy individuals**
7. Can help **reduce the oxidation of LDL cholesterol.**
8. **Immune System**- CoQ10 may assist in supporting healthy immune function. Who is Bioglan CoQ10 for: People who want to improve immune function
9. **Periodontal (gum) health** – CoQ10 has been shown to assist the healing of gums.

Advertisement type: Internet

Complaint to TGA: Bioglan CoQ10

Where did it appear:

- <https://www.bioglan.com.au/products/aged-health/bioglan-coq10-300mg-60s/>
- <https://www.bioglan.com.au/products/vitamins/coq10-50mg-200s/>
- <https://www.health365.com.au/bioglan-coq10-300mg-60s>
- <https://www.health365.com.au/natures-way-coq10-150mg-60s>
- <https://www.health365.com.au/bioglan-coq10-50mg-200s>
- <https://www.chemistwarehouse.com.au/buy/58988/bioglan-coq10-50mg-200-capsules>
- <https://www.goodpricepharmacy.com.au/bioglan-coq10-300mg-60-capsules>
- <https://www.superpharmacy.com.au/products/bioglan-coq10-50mg-potent-anti-oxidant-200-capsules>
- <https://www.chemistdiscountcentre.com.au/#!/prod/100799/bioglan-coq10-50mg-200-capsules>
- <https://www.pharmacy4less.com.au/bioglan-coq10-300mg-60-capsules-4.html>
- <https://www.mrvitamins.com.au/bioglan-coq10-50mg-200c>
- <https://www.goodpricepharmacy.com.au/quality-health-high-strength-coq10-150mg-100-capsules>
- <https://www.superpharmacy.com.au/products/quality-health-high-strength-co-q10-150mg-100-capsules>
- <https://www.pharmacyonline.com.au/quality-health-high-strength-coq10-150mg-cap-x-100>
- Etc.

N.B. Incorrect information on the Australian Government **Health Direct** web site:

- <https://www.healthdirect.gov.au/medicines/brand/amt,75985011000036106/co-enzyme-q10-bioglan>

Date seen: November 7, 2018

Products:

1. Bioglan CoQ10 300mg; ARTG ID: 286475
Product name: Bioglan CoQ10 300mg
Active ingredients: ubidecarenone
Sponsor: Natural Bio Pty Limited
2. Bioglan CoQ10 50mg; ARTG ID: 176575
Product name: Bioglan CoQ10 50mg
Active ingredients: ubidecarenone
Sponsor: Natural Bio Pty Limited
3. Quality Health High Strength CoQ10 150mg; ARTG ID: 235064
Product name: Quality Health High Strength CoQ10 150mg
Active ingredients: ubidecarenone
Sponsor: Natural Bio Pty Limited

Complaint to TGA: Bioglan CoQ10

Screen shots:



Bioglan CoQ10 300mg 60s

BUY NOW ON health 365

Bioglan CoQ10 300mg is a high strength super nutrient that is a powerful antioxidant to help support cardiovascular health, energy production & more!

SENIORS CARD
welcome here

Reviews (0)

Share

<https://www.bioglan.com.au/products/aged-health/bioglan-coq10-300mg>

DETAILED INFORMATION	DIRECTIONS	INGREDIENTS	NO ADDED
<p>WHAT IS BIOGLAN COQ10 300MG FOR?</p> <p>Bioglan CoQ10 (Coenzyme Q10) is a powerful antioxidant that occurs naturally in all cells of the body, and levels may decline as we age.</p> <ul style="list-style-type: none">• Heart Health- CoQ10 is found in muscular tissue, including in the heart muscle and assists heart health and healthy cardiovascular function.• Energy Production- CoQ10 helps support energy production in the body through the cell's mitochondria• Migraine Support- CoQ10 may help reduce duration of mild migraine• Antioxidant Support- CoQ10 is a powerful antioxidant which helps to maintain the health of the arteries in healthy individuals and can help reduce the oxidation of LDL cholesterol• Immune System- CoQ10 may assist in supporting healthy immune function.			
<p>WHO SHOULD USE BIOGLAN COQ10 300MG?</p> <p>The elderly may require a CoQ10 supplement due to the natural decline of CoQ10 associated with the ageing process.</p>			

<https://www.bioglan.com.au/products/aged-health/bioglan-coq10-300mg>

Complaint to TGA: Bioglan CoQ10

CoQ10 50mg 200s



BUY NOW ON health 365

CoQ10 the super nutrient is a powerful antioxidant for cardiovascular health, energy production & more!

200 soft capsules

Reviews (0)

Share

✉ f t G+ p

<https://www.bioglan.com.au/products/vitamins/coq10-50mg-200s/>

WHAT IS BIOGLAN COQ10 50MG FOR?

Powerful antioxidant – CoQ10 is a powerful antioxidant that helps protect the body from free radicals. This also helps improve the resistance to oxidative stress. Cardiovascular health – CoQ10 is concentrated in muscular tissue such as the heart. It may assist heart health, particularly cardiovascular muscle function. Energy production – CoQ10 helps support energy throughout the body through the cell's mitochondria.

Periodontal (gum) health – CoQ10 has been shown to assist the healing of gums.

WHO ARE BIOGLAN COQ10 50MG FOR?

People experiencing low energy
Those who want an energy boost
Those experiencing low energy levels
People who want to improve immune function
People who want to assist cardiovascular health

WHEN SHOULD I TAKE BIOGLAN COQ10 50MG ?

CoQ10 is great for adults in many occasions. If you are feeling tired then CoQ10 could be beneficial for you. It's also a great product to take as you age, since CoQ10 supports energy levels and is an antioxidant, plus levels decline with age.

<https://www.bioglan.com.au/products/vitamins/coq10-50mg-200s/>

Complaint to TGA: Bioglan CoQ10



Quality Health High Strength CoQ10
150mg Cap X 100

SKU: 1000553

[See other products by Quality Health](#)

★★★★☆ 4.0 (1) [Write a review](#)

OUR PRICE \$19.95	DISCOUNT 47 %	RETAIL PRICE: \$36.99 YOU SAVE: \$17.04
------------------------------------	--------------------------------	--

Availability: In stock

<https://www.pharmacyonline.com.au/quality-health-high-strength-coq10-150mg-cap-x-100>

What Is **Quality Health High Strength CoQ10 150mg Cap X 100?**

One of the highest doses of Co enzyme Q10 (CoQ10). An important nutrient that occurs naturally in every cell in the body, essential for the production of cellular energy. High concentrations are found in the heart. Levels of CoQ10 may decline with exercise and age and may be reduced with some cholesterol lowering medications.

Quality Health CoQ10 150mg Helps:

- Normal healthy functioning of the heart.
- To reduce the oxidation of LDL cholesterol.
- To maintain healthy arteries.

<https://www.pharmacyonline.com.au/quality-health-high-strength-coq10-150mg-cap-x-100>

Brand name: Co-Enzyme Q10 (Bioglan)

TM



PRINT



SHARE

Active ingredients: [ubidecarenone](#)

Co-Enzyme Q10 (Bioglan) is not listed on the Australian register of Therapeutic Goods.

Is this medicine available in Australia ?

Ask your pharmacist, doctor or health professional for advice or search the [ARTG](#)

The ARTG is the register of all therapeutic goods that can be lawfully supplied in Australia. Sometimes special provision is made to make available some medicines that are not listed in response to the needs of particular people or circumstances. To find out more check out the "Access to therapeutic goods not on the ARTG" section on the [ARTG](#) page.

Symptom checker

Worried about your health?

Select a symptom, answer some questions, get advice.

[START YOUR SYMPTOM CHECK](#)

Find a health service

GP (General practice)

Pharmacy

<https://www.healthdirect.gov.au/medicines/brand/amt,75985011000036106/co-enzyme-q10-bioglan>

Complaint to TGA: Bioglan CoQ10

Claims disputed and our rationale:

1. **Heart Health and Cardiovascular Health-** CoQ10 is found in muscular tissue, including in the heart muscle and assists heart health and healthy cardiovascular function

Zhou et al. (2005) conducted an RCT using **six healthy males** (mean age of 29.7 years) who were treated with 150mg CoQ10 for two weeks to **assess its potential effects on cardiovascular function**, as measured by participants VO2 max.¹ This parameter determines the maximum amount of oxygen required during exercise and is a good indicator of heart health. Participants had blood samples taken prior to and post high endurance exercise. These results were then statistically analyzed. No significant improvement in VO2 max was found after two weeks supplementation.

A Cochrane review, (Flowers et al., 2014), evaluated the effect of CoQ10 supplementation for the **primary prevention of cardiovascular disease (CVD)**.² The review included trials administering CoQ10 as a single supplement in healthy adults, or those at high risk of CVD (but without a diagnosis of CVD), and assessed cardiovascular events or major CVD risk factors, such as blood pressure and lipid levels.

They found six completed randomised controlled trials with a total of 218 participants randomised. All were conducted in participants at high risk of CVD. Two examined CoQ10 supplementation alone and four examined CoQ10 supplementation in patients on statin therapy.

The trials were small and short-term, none measured cardiovascular events or adverse events, and two of the six trials were regarded as being at high risk of bias. Only a few small trials contributed to the analyses and **no conclusions could be drawn**.

Another Cochrane review (Ho et al, 2016) reviewed the **blood pressure lowering efficacy of coenzyme Q10 for primary hypertension**.³ This review provided moderate-quality evidence that coenzyme Q10 **does not have a clinically significant effect on blood pressure**. In one of three trials reporting adverse effects, coenzyme Q10 was well tolerated. Due to the small number of individuals and studies available for analysis, more well-conducted trials are needed.

References cited by other sponsors to support similar claims included:

- Alehagen et al. (2015) who studied the **combination of selenium and CoQ10 on cardiovascular mortality** (KiSel-10 intervention study) over 4-years in an elderly selenium-deficient Swedish population.⁴ This study was judged irrelevant due to combination therapy.
- **A Health Canada Monograph on CoQ10** that cited studies in **heart failure and protection of myocardial reperfusion injury** (Rosenfeldt et al. 2007; Baggio et al. 1994; Langstone et al. 1988).⁵ Also judged irrelevant to primary prevention in healthy people.
- Shah et al. (2007) who found that one 50 mg dose of CoQ10 **had no effect on ECG variables** in 26 young health volunteers and exhibited only mild and transient effect on systolic blood pressure.⁶

Another Cochrane review (Madmani ME, et al., 2014) looked at trials that assessed the beneficial

¹ <https://www.ncbi.nlm.nih.gov/pubmed/16230985>

² <https://www.cochranelibrary.com/cdsr/doi/10.1002/14651858.CD010405.pub2/full>

³ <https://www.cochranelibrary.com/cdsr/doi/10.1002/14651858.CD007435.pub3/full>

⁴ <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4666408/>

⁵ <http://webprod.hc-sc.gc.ca/nhpid-bdipsn/atReq.do?atid=ubiquinol&lang=eng>

⁶ <https://www.ncbi.nlm.nih.gov/pubmed/17341532>

Complaint to TGA: Bioglan CoQ10

and harmful effects of *coenzyme Q10 in patients with heart failure*.⁷ **No conclusions could be drawn** on the benefits or harms of coenzyme Q10 in heart failure as trials published to date lacked information on clinically relevant endpoints. Until further evidence emerged to support the use of coenzyme Q10 in heart failure, the authors concluded there might be a need to re-evaluate whether additional trials testing coenzyme Q10 in heart failure are desirable.

A more recent meta-analysis of the efficacy of *coenzyme Q10 in patients with cardiac failure* was performed by Lei and Liu (2017).⁸ Compared with the meta-analysis published by Madmani in 2014 (above), the authors included 14 additional clinical investigations and 2149 more participants than in the previous meta-analysis. They also assessed the efficacy of coenzyme Q10 in the endpoints of mortality and NYHA classification.

They found that in patients with heart failure, the administration of coenzyme Q10 resulted in lower mortality and improved exercise capacity compared with the effects of placebo treatment. However, no significant difference was found between coenzyme Q10 and placebo in the endpoints of left heart ejection fraction and New York Heart Association (NYHA) cardiac function classification. They noted several limitations in their meta-analysis and concluded that more rigorous, large-sample, international trials were needed to confirm their results.

See also: U.S.National Center for Complementary and Integrative Health (NCCIH) Coenzyme Q10.⁹

Taking all the above into account, we dispute the implied claim that taking supplementary CoQ10 in people without cardiovascular disease supports heart health, maintains healthy heart tissue and assists in the maintenance of a healthy cardiovascular system.

We allege these claim breaches the Therapeutic Goods Advertising Code 2015, s.4(1)(b), 4(2)(a) & 4(2)(c).

2. ***Energy Production- CoQ10 helps support energy production in the body through the cell's mitochondria. Who is Bioglan CoQ10 for: People experiencing low energy, those who want an energy boost, those experiencing low energy levels. If you are feeling tired, then CoQ10 could be beneficial for you.***

Rosenfeldt et al. (2003) identified eleven studies published from 1990 to 1997, in which CoQ10 was tested for an effect on exercise capacity; six were positive and five showed no effect.¹⁰

Of the six positive trials, four were in trained sports persons, athletes, cyclists and skiers, and two involved untrained individuals. Subjects (n = 18 to 28 per study) were given CoQ10, 90 to 100 mg per day for 4 to 8 weeks. Benefits were observed in terms of improved maximum oxygen consumption, averaging 8% (range 3% to 18%) and improved exercise capacity, averaging 13% (range 5% to 33%).

Five trials failed to show any statistically significant benefit of CoQ10. Four of these were in trained sports persons and one in untrained individuals. Trials included 10 to 19 subjects and the duration of treatment was four to eight weeks. Dosage and duration of therapy were similar in the two groups of studies.

Whereas all the negative studies were published in peer-reviewed journals, only one of the six positive studies were published in this way, the other five being published as conference proceedings, probably not peer-reviewed and therefore carried less weight.

The authors concluded that a modest improvement in exercise capacity may be observed with CoQ10 supplementation, but this is not a consistent finding. Inconsistencies in trial results may

⁷ <https://www.ncbi.nlm.nih.gov/pubmed/24049047>

⁸ <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5525208/>

⁹ <https://nccih.nih.gov/health/coq10>

¹⁰ <https://www.ncbi.nlm.nih.gov/pubmed/14695924>

Complaint to TGA: Bioglan CoQ10

be due to small numbers of subjects enrolled and to differences in experimental design. Further larger randomised trials were indicated.

The statement that CoQ10 “helps support energy production in the body through the cell’s mitochondria” is in accord with scientific knowledge about the role of CoQ10. However, it provides no justification for the implied claims that CoQ10 supplementation will be beneficial in healthy people with low energy or are merely feeling tired.

Mizuno et al. (2008) examined the effects of coenzyme Q10 administration on physical fatigue.¹¹ In a double-blinded, placebo-controlled, crossover design, 17 healthy Japanese volunteers were randomized to oral coenzyme Q10 (100 or 300 mg/d) or placebo administration for 8 days.

As a fatigue-inducing physical task, subjects performed workload trials on a bicycle ergometer at fixed workloads twice for 2 h and then rested for 4 h. During the physical tasks, subjects performed non-workload trials with maximum velocity for 10 s at 30 min (30-min trial) after the start of physical tasks and 30 min before the end of the tasks (210-min trial).

Following supplementation, mean systolic blood pressure, diastolic blood pressure, and heart rate in the coenzyme Q10-administered groups did not differ from those in the placebo group. There was no significant difference in the maximum velocities achieved at the 30-min and 210-min trials in the two arms of the trial. However, a change in maximum velocity from the 30- to the 210-min trial in the 300-mg coenzyme Q10-administered group was higher than that in the placebo group.

The authors noted that to generalize these results, studies involving larger numbers of subjects and a variety of administration doses and time schedules were required.

Cook et al. (2008) investigated whether acute (single dose) and/or chronic (14-days) supplementation of CoQ10 would improve exercise performance in 22 aerobically trained and 19 untrained male and female subjects.¹² Subjects were given 200 mg of the placebo or the CoQ10 supplement. Sixty minutes following supplement ingestion, subjects completed an isokinetic knee extension endurance test, a 30-second Wingate anaerobic capacity test, and a maximal cardiopulmonary graded exercise test interspersed with 30-minutes of recovery.

In this study, both acute and chronic CoQ10 supplementation had no significant effect of indices of muscle endurance and anaerobic capacity as determined by an isokinetic 50-repetition test and a 30-second Wingate anaerobic capacity test. Similarly, no significant differences were observed among groups in maximal oxygen uptake (VO₂max) or ventilatory anaerobic threshold following CoQ10 supplementation. These findings were in accord with several previous studies which have also failed to demonstrate performance-enhancing effects in trained athletes and/or untrained individuals following CoQ10 supplementation.^{13,14,15,16}

Small studies were found on the use of CoQ10 as a treatment for fatigue in patients with multiple sclerosis,¹⁷ and chronic fatigue syndrome (in addition with NADH);¹⁸ both concluded that larger and long-term follow-up studies were necessary to confirm any effect of CoQ10 in these conditions. A larger (n=103) Australian randomized, placebo-controlled trial determined if CoQ10 alleviated fatigue in the late-onset sequelae of poliomyelitis. A daily dose of 100 mg CoQ10 for 60 days was found to have no effect on fatigue. However, these studies are irrelevant

¹¹ <https://www.ncbi.nlm.nih.gov/pubmed/18272335>

¹² <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2315638/>

¹³ <https://www.ncbi.nlm.nih.gov/pubmed/1844568>

¹⁴ <https://www.ncbi.nlm.nih.gov/pubmed/8789577>

¹⁵ <https://www.ncbi.nlm.nih.gov/pubmed/8550248>

¹⁶ <https://www.ncbi.nlm.nih.gov/pubmed/9286743>

¹⁷ <https://www.ncbi.nlm.nih.gov/pubmed/25603363>

¹⁸ <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4346380/>

Complaint to TGA: Bioglan CoQ10

to the claims made for CoQ10 in normal healthy people.

No studies were found on the effect of CoQ10 supplementation on fatigue in the elderly.

We allege these claim breaches the Therapeutic Goods Advertising Code 2015, s.4(1)(b), 4(2)(a) & 4(2)(c).

3. Levels of CoQ10 may decline with exercise and age and may be reduced with some cholesterol lowering medications. The elderly may require a CoQ10 supplement due to the natural decline of CoQ10 associated with the ageing process

There are inconsistencies with measurements of plasma levels of CoQ10 in individuals of different ages with varying levels of physical activity. Among young people, more physical activity may correlate with lower CoQ10 levels in plasma, but in older people, higher levels of physical activity are related to higher plasma levels of CoQ10. More physical activity in older people may thus negate any need for supplements of CoQ10.¹⁹

Only rare cases of documented coenzyme Q10 deficiency with symptoms of weakness, fatigue, and seizures have been reported.²⁰ Thus it can be assumed that a varied diet and a normal in-vivo synthesis will supply enough CoQ10 to healthy individuals.²¹

In conclusion, the finding that CoQ10 levels decrease in the elderly does not appear to hold if they exercise (which is recommended because it produces a variety of health benefits).

The statement that, “levels of CoQ10 may be reduced with some cholesterol lowering medications” is evidence-based. However, the implication that supplementation will be of benefit in people taking statins (by reducing muscle pain) is not supported by evidence.^{22, 23}

We allege these claim breaches the Therapeutic Goods Advertising Code 2015, s.4(1)(b), 4(2)(a) & 4(2)(c).

4. Migraine Support- CoQ10 may help reduce duration of mild migraine

Two small studies of adults with migraine suggested possible effectiveness of CoQ10. One study demonstrated the effectiveness of 150 mg in an open-label study in 32 adults with episodic headaches.²⁴ The other study examined the effectiveness of 100 mg three times a day dosing in 42 adults with episodic headache compared with placebo.²⁵ Placebo-controlled, double-blind clinical trials with a larger number of participants are needed to confirm these results.

Slater et al (2011) evaluated the efficacy of Coenzyme Q10 (CoQ10) supplementation in the prevention of migraine in children using a placebo-controlled, double-blinded, crossover, add-on trial.²⁶ One-hundred-and-twenty children and adolescents with migraine headache were randomized to receive a placebo or CoQ10 (100 mg) supplement for 224 days. Data for 76 patients were available at the crossover point and 50 were analysed at the endpoint. Response to treatment, overall headache improvement, and headache disability were assessed.

Overall, results of the study demonstrate that children and adolescents with migraine improved over time with multidisciplinary, standardized treatment regardless of supplementation with CoQ10 or placebo. There was no difference in headache outcomes between the CoQ10 and

¹⁹ <https://www.ncbi.nlm.nih.gov/pubmed/24384733>

²⁰ <https://naturalmedicines.therapeuticresearch.com/databases/food,-herbs-supplements/professional.aspx?productid=938>

²¹ <https://www.nature.com/articles/1600880>

²² <https://nccih.nih.gov/health/coq10>

²³ <https://www.ncbi.nlm.nih.gov/pubmed/25440725>

²⁴ <https://www.ncbi.nlm.nih.gov/pubmed/11972582>

²⁵ <https://www.ncbi.nlm.nih.gov/pubmed/15728298>

²⁶ <https://www.ncbi.nlm.nih.gov/pubmed/21586650>

Complaint to TGA: Bioglan CoQ10

placebo groups at day 224. The authors noted that due to the improvements seen in weeks 1-4, CoQ10 may lead to earlier improvement in headache severity, but given the sample size this conclusion warrants further investigation with a larger sample.

We allege this claim, "may help" breaches the Therapeutic Goods Advertising Code 2015, s.4(1)(b), 4(2)(a) & 4(2)(c).

5. ***Antioxidant Support- Powerful antioxidant that occurs naturally in all cells of the body.*** These statements are in accord with scientific knowledge about the role of CoQ10 but provide no justification for the implied claims that CoQ10 supplementation will be beneficial in healthy people.

Current recommendations are that a healthy diet can provide all the antioxidants you need to fight free radical damage.^{27,28}

We allege this claim breaches the Therapeutic Goods Advertising Code 2015, s.4(1)(b), 4(2)(a) & 4(2)(c).

6. ***Helps to maintain the health of the arteries in healthy individuals***

Another sponsor cited Gao L et al. (2012). '*Effects of coenzyme Q10 on vascular endothelial function in humans*: a meta-analysis of randomized controlled trials'. *Atherosclerosis*, 221: 311-316.²⁹ These authors noted that the effect of oral CoQ10 supplementation on endothelial function in patients with coronary artery disease, heart failure and diabetes mellitus had been investigated by many studies. However, the results of these studies were inconsistent, and the sample sizes were relatively small. As a result, the precise effect of CoQ10 supplementation on endothelial function has not been established.

They reviewed 5 studies involving 194 participants of whom 97 were randomly allocated to CoQ10 therapy and 97 to control. They noted that 44.3% of participants had diabetes, 34.5% had hypertension, and 27.8% had established coronary artery disease. They found that CoQ10 supplementation was associated with significant improvement in flow-dependent endothelial-mediated dilation (FMD), a functional parameter commonly used as a biomarker of vascular function.

However, the results were not broken down into participants with or without pre-existing disease, so the relevance of this surrogate measure to a normal patient population is uncertain.

The authors concluded that to what extent CoQ10-mediated improvement in endothelial function is causally related to a reduction in cardiovascular events can only be determined by large, long-term randomized trials on clinical endpoints.

We allege this claim breaches the Therapeutic Goods Advertising Code 2015, s.4(1)(b), 4(2)(a) & 4(2)(c).

7. ***Can help reduce the oxidation of LDL cholesterol.***

Sunesen et al. (2001) noted that while the amount of CoQ10 in body plasma increased by 126% after 10 days of supplementation in 18 young, healthy volunteers (nine women, nine men), very-low-density-lipoprotein (VLDL), low-density-lipoprotein (LDL) and high-density-lipoprotein (HDL) levels did not statistically differ from baseline levels.³⁰

Similarly, Zhou et al., (2005) found no significant changes in lipid profile after CoQ10 supplementation for 2 weeks in six healthy young males.¹

²⁷ <https://theconversation.com/health-check-the-untrue-story-of-antioxidants-vs-free-radicals-15920>

²⁸ <https://theconversation.com/what-are-antioxidants-and-are-they-truly-good-for-us-86062>

²⁹ <https://www.ncbi.nlm.nih.gov/pubmed/22088605>

³⁰ <https://www.ncbi.nlm.nih.gov/pubmed/11305624>

Complaint to TGA: Bioglan CoQ10

Fallah et al (2018) investigated the effects of coenzyme Q10 supplementation on glycaemic control and markers of lipid profiles in diabetic haemodialysis patients (HD) in a randomized, double blind, placebo-controlled clinical trial of 60 patients.³¹ They found that CoQ10 supplementation in diabetic HD patients for 12 weeks had beneficial effects on markers of insulin metabolism, but it did not affect fasting glucose, HbA1c and lipid profiles.

Jorat et al., (2018) performed a systematic review and meta-analysis of randomized controlled trials on the effects of coenzyme Q10 supplementation on lipid profiles among patients with coronary artery disease.³² They found that CoQ10 supplementation significantly decreased total cholesterol and increased high-density lipoprotein ("good" cholesterol) but did not affect triglycerides or low-density lipoprotein ("bad" cholesterol) in patients with coronary artery disease.

Zhang et al., 2018 investigated the effect of 24 weeks of 120 mg CoQ10 or placebo on CVD risk factors in 101 Chinese patients with dyslipidaemia.³³ On the 24th week, compared to placebo, CoQ10 supplementation modestly lowered blood pressure and reduced triglyceride and low-density lipoprotein cholesterol.

In conclusion, CoQ10 could be considered as adjunct therapy in some patients with CVD poorly uncontrolled by conventional treatment. However, we dispute the implied claim that taking CoQ10 as a supplement in healthy individuals assists in the maintenance of normal cholesterol (or the prevention of CVD).

8. Immune System- CoQ10 may assist in supporting healthy immune function. Who is Bioglan CoQ10 for: People who want to improve immune function

A search of PubMed found no good evidence to support the claim that Coq10 is useful for people who want to improve immune function.³⁴

We allege this claim breaches the Therapeutic Goods Advertising Code 2015, s.4(1)(b), 4(2)(a) & 4(2)(c).

9. Periodontal (gum) health – CoQ10 has been shown to assist the healing of gums.

Many CoQ10 studies were performed 15 to 30 years ago without the benefit of modern experimental design and may not be highly credible based on contemporary evidenced-based review criteria. In a review of research up to 1995, the results found limited data, no grounds for claims made, evidence that some data had inadequate statistical analysis, and that Q10 may have "no place in periodontal treatment."³⁵

Subsequently, there have been two small studies suggesting that topical CoQ10,³⁶ or Coenzyme Q (7 / CoQ10 and 1 / hexahydro coenzyme Q4),³⁷ may improve adult periodontitis as adjunct therapy to conventional dental treatment.

In our opinion, this data provides no justification for the claim that CoQ10 is useful for periodontal (gum) health.

We allege this claim breaches the Therapeutic Goods Advertising Code 2015, s.4(1)(b), 4(2)(a) & 4(2)(c).

³¹ <https://www.ncbi.nlm.nih.gov/pubmed/30251010>

³² <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6176512/>

³³ <https://www.ncbi.nlm.nih.gov/pubmed/29454678>

³⁴ <https://www.ncbi.nlm.nih.gov/pubmed/?term=Coenzyme+Q10+immunity>

³⁵ <https://www.ncbi.nlm.nih.gov/pubmed/7718355>

³⁶ <https://www.ncbi.nlm.nih.gov/pubmed/7752836>

³⁷ <https://www.ncbi.nlm.nih.gov/pubmed/1103247>

Complaint to TGA: Bioglan CoQ10

Finally, we allege that as CoQ10 is a vitamin-like co-enzyme that s7(2) of the Code applies and that the absence of a statement to this effect is a breach of the Code.

Previous complaints:

Eight upheld complaints about CoQ10 products were found on the CRP web site, including one referred to the Secretary.³⁸ Typically, no outcome of the latter referral is available on the TGA web site.

CRP determination 2012/06/006 (Pharmalife CoQ10 Capsules) is especially relevant, para 29-33.³⁹

29. The Panel was generally satisfied that the active ingredient of the advertised product, co-enzyme Q10, was the subject of a range of research that supported a view that it could play a role in relation to heart health or cardiovascular health, heart function, ATP production, antioxidant effects, and some other aspects of human physiology. However, the Panel noted that for co-enzyme Q10 in the form of a supplement to offer clinically significant benefits in these respects, the consumer taking the supplement would need to have inadequate levels of co-enzyme Q10 in their diet and/or as a result of the natural production of co-enzyme Q10 in their bodies.
30. It appeared to the Panel that while some consumers do fall within this category, the ordinary and typical consumer viewing the advertisement would not necessarily derive any such benefits from co-enzyme Q10 supplementation at all, since an ordinary and typical consumer would most likely already obtain sufficient levels of co-enzyme Q10 through their diet or through the natural production of co-enzyme Q10 in the body.
31. The Panel was therefore satisfied that a primary question was whether the advertisement conveyed accurately and clearly that co-enzyme Q10 supplementation was only likely to offer the advertised benefits to that category of consumers with inadequate current levels of co-enzyme Q10, or whether it instead conveyed that any and all consumers would derive the advertised benefits through consumption of the advertised product.
32. The advertisement stated that “as you age, the naturally occurring levels of Coenzyme Q10 in your body declines, meaning energy is not as easily transported between the body’s cells, resulting in a drop in your energy levels and endurance.” In one sense, these words appeared to convey that some consumers would have a greater need for supplemental co-enzyme Q10 than others. However, it also implied that declining co-enzyme Q10 levels are always a result of ageing and will always have an appreciable effect on energy transfer between cells, energy levels, and endurance. The Panel was therefore satisfied that an ordinary and reasonable consumer would conclude that the claims about increased oxygen uptake, improved heart function, increased energy levels, muscle activity, reduced risk of cell damage, and other claims about the product’s effects were true for any consumer, regardless of their current co-enzyme Q10 status.
33. The Panel was therefore satisfied that the representations had not been verified, were not correct and balanced, were likely to arouse unwarranted expectations, and were misleading, in breach of sections 4(1)(b), 4(2)(a), and 4(2)(c) of the Code. These aspects of the complaint were therefore justified.

Dr Ken Harvey MBBS, FRCPA, AM Associate Professor
School of Public Health and Preventive Medicine

³⁸ http://www.tgacrp.com.au/complaint-register/?_search=Q10

³⁹ http://www.tgacrp.com.au/complaint-register/?_search=Pharmalife%20CoQ10%20Capsules

Complaint to TGA: Bioglan CoQ10

Monash University
Alfred Campus
553 St Kilda Rd
Melbourne VIC 3004
Mobile: +61 419181910
Email: kenneth.harvey@monash.edu
WWW: www.medreach.com.au
8 November 2018